

Corticosteroid	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
CAM			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Vitamins			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Non-arthritis meds (heart, etc.)			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Alternative Providers			✓		✓		✓		✓		✓		✓
Exercise			✓		✓		✓		✓		✓		✓
Past Meds													
All Arthritis (past 6 months)			✓		✓		✓		✓		✓		✓
Methotrexate (past 6 months)				✓		✓		✓		✓		✓	

PATIENT DOMAINS	Questionnaire Timepoints (months)												
	Baseline	6	12	18	24	30	36	42	48	54	60	66	72
MDHAQ ⁽¹⁾	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SF-12 ⁽²⁾					✓		✓		✓		✓		✓
MHI-5 ⁽³⁾	✓		✓		✓								✓
PHQ-9 ⁽⁴⁾			✓								✓		✓
EuroQol ⁽⁵⁾		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Radai + joint man ⁽⁶⁾	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Arthritis self-efficacy ⁽⁷⁾	✓		✓								✓		✓
Flare Q	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RA Concerns ⁽⁸⁾			✓		✓		✓		✓		✓		✓
Berkman-Syme (social support) ⁽⁹⁾	✓(new only)		✓										✓
Quality of Life Scale ⁽¹⁰⁾							✓						
MOS Sleep Scale ⁽¹¹⁾							✓				✓		
Miscellaneous													
Employ -disability, income, etc.	✓		✓		✓		✓		✓		✓		✓
Health Ins/Medication Ins					✓								✓
Health Care Resource User		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

PHYSICIAN DOMAINS	Baseline	Annual
Inclusion Criteria	✓	
Health & Symptoms		
Morning Stiffness	✓	
VAS	✓	✓
Infection/Opportunistic Infections	✓	✓
Extra-Articular Manifestations	✓	✓
Co-morbidities/drug toxicities	✓	✓
28 Joint count	✓	✓
Medication Changes		
Start	✓	✓
Stop/reason	✓	✓
Change/reason	✓	✓

1. Pincus T, Swearingen C, and Wolfe F. Toward a Multidimensional Health Assessment Questionnaire (MDHAQ). *Arthritis Rheum* 42;2220-2230, 1999.
2. Ware JE, Kosinski M, Keller SD. SF-12: How to Score the SF-12 Physical and Mental Health Summary Scales. 2nd ed. Boston, MA: The Health Institute, New England Medical Center; 1995.
3. Rumpf HJ, Meyer C, Hapke U, John U. Screening for mental health: validity of the MHI-5 using DSM-IV Axis I psychiatric disorders as gold standard. *Psychiatry Research*. 105(3):243-53, 2001.
4. Kroenke K, Spitzer RL, Williams JBW. Validity of a Brief Depression Severity Measure. *JGIM* 16;606-613, 2001.
5. Hurst NP, Kind P, Ruta D, Hunter M, and Stubbings A. Measuring Health-Related Quality of Life in Rheumatoid Arthritis: Validity, Responsiveness and Reliability of EUROQOL (EQ-5D). *British J of Rheum*. 35;551-559, 1997.
6. Stucki G, Liang M, Stucki S, Bruhlmann P, Michel BA. A self-administered rheumatoid arthritis disease activity index (RADAI) for epidemiological research. Psychometric properties and correlation with parameters of disease activity. *Arthritis Rheum* 38;795-798,1995
7. Lorig K, Chastain RL, Ung E, Shoor S, and Holman HR. Development and evaluation of a scale to measure perceived self-efficacy in people with arthritis. *Arthritis Rheum* 32:37-44, 1989.
8. Carr A, Hewlett S, Hughes R, Mitchell H, Ryan S, Carr M, and Kirwan J. Rheumatology Outcomes: The Patient's Perspective. *J Rheum* 30;880-883, 2003.
9. Berkman and Syme (1979) Social networks, host resistance and mortality ;a nine year follow-up study of Alameda County residents *Am J Epidemiol*;109; 186-204.
10. Flanagan, JD. A research approach to improving our quality of life. *Am Psychol* 1078; 33:138-47.
11. Hays, R. D. & Stewart A.L. (1992) Sleep measures. In A. L. Stewart & J. E. Ware (eds), *Measuring functioning and well-being: The Medical Outcomes Study approach* (pp 235-259) Durham, NC: Duke University Press